

## Xstage 2000 W OFR

Xstage | Xenon short-arc lamps for entertainment



### Areas of application

- Xenon short-arc lamps for event and architecture lighting

### Product family benefits

- Higher luminance thanks to the shorter arc
- Optimized base for better stability
- Optimized compact design

### Product family features

- Color temperature: approx. 6,000 K (Daylight)
- Dimmable
- Hot restart capability



# Product datasheet

## Technical data


### Electrical data

Nominal wattage	2000.00 W
Nominal voltage	23.0 V
Lamp current	90.0 A
Current control range	70...100 A

### Photometrical data

Nominal luminous flux	80000 lm
Luminous flux	80000 lm
Luminous intensity	9000 cd
Color temperature	6000 K
Color rendering index Ra	98

### Dimensions & weight



Diameter	47.0 mm
Length	300.0 mm
Mounting length	262.0 mm
Light center length (LCL)	120.0 mm

### Lifespan

Lifespan	1000 h
----------	--------

### Additional product data

Base anode (standard designation)	SFaX27-9.5
Base cathode (standard designation)	SFc28-27

### Capabilities

## Product datasheet

<b>Burning position</b>	Any
-------------------------	-----

### Environmental information

<b>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)</b>	
<b>Date of Declaration</b>	05-03-2024
<b>Primary Article Identifier</b>	4008321288820
<b>Candidate List Substance 1</b>	No declarable substances contained
<b>Declaration No. in SCIP database</b>	No declarable substances contained

## Product datasheet

---

### Safety advice

Because of their high luminance, UV radiation and high internal pressure in both the hot and cold state, Xstage lamps must only be operated in enclosed lamp casings specially constructed for the purpose. Always use the supplied protective jackets when handling these lamps. They may only be used as open lamps if appropriate safety measures are taken. More information is available on request or can be found in the leaflet included with the lamp or the operating instructions.

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321288820	Xstage 2000 W OFR	Shipping carton box 1	590 mm x 234 mm x 229 mm	31.62 dm <sup>3</sup>	1560.00 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.