

## Incandescent 70313

Lamps without halogen, low voltage

### Areas of application

- As film projector lamps



## Technical data

### Product information

Order reference	70313
-----------------	-------

### Electrical data

Lamp wattage	30 W
Nominal voltage	6.0 V
Nominal wattage	30.00 W

### Dimensions & weight

Diameter	35.0 mm
Length	65.3 mm
Light center length (LCL)	44.0 mm

### Temperatures & operating conditions

Max. permitted ambient temp. pinch point	350 °C
--	--------

### Lifespan

Lifespan	200 h
----------	-------

### Additional product data

Base (standard designation)	P47d
-----------------------------	------

### Capabilities

Burning position	Other
------------------	-------

### Country specific categorizations

Order reference	70313
-----------------	-------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4050300426815   0046135763052
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	0b0c26fb-56c9-44fc-a335-c4e64788dbd8

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300426815	Incandescent 70313	Folding carton box 1	49 mm x 49 mm x 85 mm	0.20 dm <sup>3</sup>	35.00 g
4050300426822	Incandescent 70313	Shipping carton box 100	495 mm x 260 mm x 180 mm	23.17 dm <sup>3</sup>	3818.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.