

64261 HLX

Low-voltage halogen lamps without reflector



Areas of application

- Lamps for special luminaires
- Medical fiber optics (HLX)

Product family benefits

- Compared to standard lamps up to 10 % higher luminous efficacy (HLX)
- Instant light (HLX)

Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)
- HLX tungsten halogen low-voltage lamp with or without reflector
- Dimmable (HLX)





Product datasheet

Technical data

Product information

Order reference	64261 30W 12V G
-----------------	-----------------


Electrical data

Nominal voltage	12.0 V	
Nominal wattage	30.00 W	

Photometrical data

Color temperature	3300 K
Nominal luminous flux	750 lm
Color rendering index Ra	100

Dimensions & weight



Diameter	11.5 mm
Length	44.0 mm
Light center length (LCL)	30.0 mm
Filament length	2.60 mm
Illuminated field	2.6*1.3 mm²
Filament diameter	1.3 mm

Lifespan

Li	ifespan	50 h

Additional product data

Base (standard designation)	G6.35
Minimum diameter of lamp enclosure	12 mm

Product datasheet

Capabilities

Burning position	Any
------------------	-----

Country specific categorizations

LIF	M/130
Order reference	64261 30W 12V G

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration 29-02-2024				
Primary Article Identifier 4050300220529				
Candidate List Substance 1	No declarable substances contained			
Declaration No. in SCIP database	No declarable substances contained			

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300220529	OSRH6426140	-	-	-
4050300220529	OSRH6426140	-	-	-

Product datasheet





Logistical Data

s180

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300220529	64261 HLX	Folding carton box 1	- x - x -		
4050300890364	64261 HLX	Shipping carton box 40	150 mm x 113 mm x 118 mm	2.00 dm ³	381.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.