

DULUX S BL UVA 11 W/78

OSRAM BLUE UV-A | Ultraviolet lamps



Areas of application

- Insect traps
- Cosmetic nail curing
- Manufacture of printed circuit boards
- Tempering and curing of photosensitive material
- Fluorescent exciter for scientific and criminological investigations
- Manufacture of dental prosthetics
- Testing of banknotes and credit cards
- Terrarium illumination

Product family benefits

- Eco-friendly, chemical-free
- High quality and long service life
- Ideal for insect traps and other UVA applications
- Emits effective long-wave UVA
- Different form factors enable freedom of design
- RoHS-compliant
- Lead-free
- Low mercury content



Product datasheet

Technical data

Product information

Order reference	DUL S BL UVA 11
-----------------	-----------------

Electrical data

Lamp voltage	90 V
Lamp current	0.16 A
Nominal wattage	11.80 W

Photometrical data

Luminous intensity	7800 cd
Radiated power 315...400 nm (UVA)	1.8 W

Dimensions & weight



Diameter	12.0 mm
Length	234.5 mm

Lifespan

Lifespan	2000 h
----------	--------

Additional product data

Base (standard designation)	G23
-----------------------------	-----

Capabilities

Burning position	s180
------------------	------

Country specific categorizations

Order reference	DUL S BL UVA 11
-----------------	-----------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4052899037885
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	24DBBD8C-84A2-4359-8C5A-E00F19910EA6

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899037885	DULUX S BL UVA 11 W/78	Folding carton box 1	36 mm x 23 mm x 239 mm	0.20 dm ³	49.00 g
4052899037892	DULUX S BL UVA 11 W/78	Shipping carton box 10	126 mm x 81 mm x 251 mm	2.56 dm ³	543.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.