

SILVERSTAR 2.0

Best price-performance ratio



Up to 60% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



Up to 20 m longer light beam

For improved visibility and less eye strain compared to standard halogen lamps



Excellent price-performance ratio

For better visibility at a reasonable price



The OSRAM performance halogen light with best lifetime

With SILVERSTAR 2.0, OSRAM offers a high performance halogen automotive lamp with an optimized lifetime. SILVERSTAR 2.0 generates up to 60% more light and a beam which is up to 20 meters longer than in standard halogen lamps. This allows you to see road signs, obstacles and hazards sooner and the driver is left with more time to react. In addition to this, these automotive lamps have a convincing price-performance ratio and a modern design with an attractive silver cap (H4/H7/H11). The perfect choice for drivers who place high demands on performance, safety and value for money.

Product family datasheet

Technical data

| Product description | Product information | General Product Information | Electrical Data | | |
|---------------------|---|-----------------------------|--------------------|-----------------|-----------------|
| | Application (Category and Product specific) | Global order reference | Power input | Nominal voltage | Nominal wattage |
| SILVERSTAR 2.0 H7 | Halogen headlight lamp | 64210SV2 | 58 W ¹⁾ | 12.0 V | 55 W |

| Product description | Test voltage | Photometric Data | | Physical Attributes & Dimensions | Lifetime Data |
|---------------------|--------------|-----------------------|-------------------------|----------------------------------|---------------|
| | | Nominal luminous flux | Luminous flux tolerance | Diameter | Lifespan B3 |
| SILVERSTAR 2.0 H7 | 13.2 V | 1500 lm | ±10 % | 11.3 mm | 250 hr |

| Product description | Lifespan Tc | Capabilities | Certificates & standards | Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---------------------|-------------|--------------|--------------------------|--|------------------------------------|
| | | Technology | ECE category | Primary article identifier | Candidate list substance 1 |
| SILVERSTAR 2.0 H7 | 450 hr | HAL | H7 | 4052899428485 4052899428652 4008321786753 | No declarable substances contained |

| Product description | Declaration no. in SCIP database |
|---------------------|------------------------------------|
| SILVERSTAR 2.0 H7 | No declarable substances contained |

¹⁾ Maximum

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

