

ALLSEASON SUPER / ALLSEASON

Extra visibility under all weather conditions



Extra visibility

Due to yellow coating



Up to 30% more light

For better visibility and significantly shorter reaction times compared to standard halogen lamps



Better sight

Under all weather conditions



Better sight under all weather conditions

With up to 30% more light compared to standard lamps and an interference yellow coating ALLSEASON and ALLSEASON SUPER improve visibility while on the road under all weather conditions.

Product family datasheet

Technical data

Product description	Product information		Electrical data				Photometrical data
	Order reference	Application (Category and Product specific)	Power input	Nominal voltage	Nominal wattage	Test voltage	Luminous flux
ALLSEASON SUPER / ALLSEASON H1	64150ALS	Halogen headlight lamp	68 W ²⁾	12.0 V	55.00 W	13.2 V	1550 lm
ALLSEASON SUPER / ALLSEASON H4 ¹⁾	64193ALS	Halogen headlight lamp	75 / 68 W ²⁾	12.0 V	60/55 W	13.2 V	1650/1000 lm
ALLSEASON SUPER / ALLSEASON H7	64210ALL	Halogen headlight lamp	58 W ²⁾	12.0 V	55.00 W	13.2 V	1500 lm

Product description	Luminous flux tolerance	Dimensions & weight	Lifespan		Capabilities	Certificates & standards
		Diameter	Lifespan B3	Lifespan Tc	Technology	ECE category
ALLSEASON SUPER / ALLSEASON H1	±15 %	9 mm	150 h	350 h	HAL	H1
ALLSEASON SUPER / ALLSEASON H4 ¹⁾	±15 / ±15 %	17.0 mm	150 / 150 h ³⁾	350 / 350 h ³⁾	HAL	H4
ALLSEASON SUPER / ALLSEASON H7	±10 %	12.0 mm	330 h	550 h	HAL	H7

Product description	Environmental information			
	Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
Product description	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
ALLSEASON SUPER / ALLSEASON H1	05-03-2024	4050300504544 4008321023629 4008321168733	No declarable substances contained	In work
ALLSEASON SUPER / ALLSEASON H4 ¹⁾	05-03-2024	4050300435978 4008321168559 4052899503311	No declarable substances contained	In work
ALLSEASON SUPER / ALLSEASON H7	05-03-2024	4050300483153 4008321168757 4052899487239 4052899503335	No declarable substances contained	In work

¹⁾ SUPER version for more light on the road

²⁾ Maximum

³⁾ Filament 1

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

