

# ORIGINAL LINE H16

Original spare part



### The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and cost-effective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

Order reference	64219L+
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	26 W <sup>1)</sup>
Nominal voltage	12.0 V
Nominal wattage	19.00 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	500 lm
Luminous flux tolerance	+10 %...15 %

### Dimensions & weight



Diameter	10.0 mm
Product weight	18.80 g
Length	67.0 mm

### Lifespan

Lifespan B3	1115 h
Lifespan Tc	2000 h

### Capabilities

Technology	HAL
------------	-----

## Product datasheet

### Certificates & standards

ECE category	H16
--------------	-----

### Country specific categorizations

Order reference	64219L+
-----------------	---------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321626837   4008321626783   4008321626851   4052899403819   4052899498563   4052899561861   4052899589599   4062172051972
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321626783	ORIGINAL LINE H16	Folding carton box 1	33 mm x 37 mm x 71 mm	0.09 dm <sup>3</sup>	25.00 g
4008321626790	ORIGINAL LINE H16	Bundle 10	68 mm x 73 mm x 187 mm	0.93 dm <sup>3</sup>	248.00 g
4008321626806	ORIGINAL LINE H16	Shipping carton box 100	341 mm x 154 mm x 191 mm	10.03 dm <sup>3</sup>	2671.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM