Product datasheet

OSRAM

ORIGINAL LINE H11B

Original spare part





The cost-effective original spare parts

OSRAM ORIGINAL LINE halogen lamps offer convincing performance for standard requirements, are robust and costeffective. They have already been successfully used in millions of new cars from renowned manufacturers, whether as standard initial equipment or original spare parts. Convince yourself of the excellent value for money, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Halogen headlight lamp
---	------------------------

General Product Information

Electrical Data

Power input	62 W ¹⁾
Nominal voltage	12.0 V
Nominal wattage	55 W
Test voltage	13.2 V

¹⁾ Maximum

Photometric Data

Nominal luminous flux	1350 lm
Luminous flux tolerance	±10 %

Physical Attributes & Dimensions

Diameter	12.0 mm
Product weight	19.00 g
Length	66.8 mm
Lamp base	PGJY19-2

Lifetime Data

Lifespan B3	350 hr
Lifespan Tc	580 hr

Capabilities

Technology	HAL

Certificates & standards

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Date of declaration	26-06-2024	
Primary article identifier	4008321054654	

Product datasheet

Candidate list substance 1	No declarable substances contained	
Declaration no. in SCIP database	In work	

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321054678	ORIGINAL LINE H11B		- x - x -	10.03 dm³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaime

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

















