### Product datasheet

# **OSRAM**

# **ORIGINAL MINIXEN -**

## Original spare part





#### The cost-effective original spare parts

ORIGINAL MINIXEN signal lamps for cars can be used for interior lighting as well as reading lights. Discover these original spare parts from OSRAM with reliable OEM quality and a wide product range.

## Product datasheet

#### Technical data

#### **Product information**

Application (Category and Product specific)	Auxiliary lamp
---	----------------

#### **General Product Information**

#### **Electrical Data**

Power input	6 W	
Nominal voltage	12.0 V	
Nominal wattage	6.00 W	
Test voltage	13.5 V	
Power input tolerance	±10 %	

#### **Photometric Data**

Nominal luminous flux	80 lm	
Luminous flux tolerance	±20 %	

## **Physical Attributes & Dimensions**

Diameter	9 mm
Product weight	1.95 g
Length	27.4 mm
Lamp base	BA9s

### **Lifetime Data**

Lifespan B3	400 hr
Lifespan Tc	1000 hr

### **Capabilities**

Technology	AUX
------------	-----

### Certificates & standards

ECE category	-
--------------	---

## **Environmental & Regulatory Information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of declaration 09-07-2024				

### Product datasheet

Primary article identifier	4050300885896   4008321095787	
Candidate list substance 1 No declarable substances contained		
Declaration no. in SCIP database	In work	

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321095800	ORIGINAL MINIXEN 3886X		- x - x -	0.94 dm³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### **Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















