Product datasheet

OSRAM

Lamps with metal bases -

Original spare part





The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Product datasheet

Technical data

Product information

| Application (Category and Product specific) | Auxiliary lamp |
|---|----------------|
|---|----------------|

General Product Information

| Global order reference | 2357A |
|------------------------|-------|
|------------------------|-------|

Electrical Data

| Power input | 28 W |
|-----------------|---------------|
| Nominal voltage | 12.8 V |
| Nominal wattage | 29 W |
| Test voltage | 12.8 / 14.0 V |

Photometric Data

| Nominal luminous flux | 377 lm |
|-------------------------|-------------|
| Luminous flux tolerance | ±30 / ±30 % |

Physical Attributes & Dimensions

| Diameter | 27.0 mm |
|----------------|---------|
| Product weight | 8.16 g |
| Length | 52.5 mm |
| Lamp base | BAY15d |

Capabilities

| Technology | AUX |
|------------|-----|

Certificates & standards

| ECE category | - |
|---------------------------|---|
| Approval marks – approval | - |

Environmental & Regulatory Information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh) | | | |
|---|------------------------------------|--|--|
| Date of declaration 09-07-2024 | | | |
| Primary article identifier | 4008321101518 4062172354691 | | |
| Candidate list substance 1 | No declarable substances contained | | |
| Declaration no. in SCIP database | In work | | |

Product datasheet

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|--------------------------------|---------------------------------|--------------------------------------|----------------------|--------------|
| 4008321101938 | ORIGINAL - METAL BASE 2357A | | - x - x - | 2.57 dm ³ | |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















