

# Lamps with glass wedge bases -

Original spare part



## The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.



# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

### General Product Information

Global order reference	2820
------------------------	------

### Electrical Data

Power input	2.2 W
Nominal voltage	12.0 V
Nominal wattage	2 W
Test voltage	13.5 V
Power input tolerance	±10 %

### Photometric Data

Nominal luminous flux	13.5 lm
Luminous flux tolerance	±25 %

### Physical Attributes & Dimensions

Diameter	10.0 mm
Product weight	1.36 g
Length	26.8 mm
Lamp base	W2.1x9.5d

### Lifetime Data

Lifespan B3	600 hr
Lifespan Tc	4000 hr

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	-
--------------	---

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	09-07-2024

## Product datasheet

Primary article identifier	4050300888156   4052899560741   4052899560673   4008321094094
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094117	ORIGINAL - WEDGE BASE 2820		- x - x -	0.94 dm <sup>3</sup>	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM