

# ORIGINAL - FESTOON -

Original spare part



### The cost-effective original spare parts

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for a wide range of festoon lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

# Product datasheet

## Technical data

### Product information

Order reference	6486X
Application (Category and Product specific)	Auxiliary lamp


### Electrical data

Power input	6 W
Nominal voltage	12.0 V
Nominal wattage	6.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

### Photometrical data

Luminous flux	85 lm
Luminous flux tolerance	±20 %

### Dimensions & weight



Diameter	11.0 mm
Product weight	2.50 g
Length	36.0 mm

### Lifespan

Lifespan B3	350 h
Lifespan Tc	600 h

### Additional product data

Base (standard designation)	SV8.5-8
-----------------------------	---------

## Product datasheet

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	-
--------------	---

### Country specific categorizations

Order reference	6486X
-----------------	-------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321094292   4008321007803
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321094292	OSRA6486X	-	-	-
4008321094308	OSRA6486X	-	-	-
4008321094292	OSRA6486X	-	-	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094292	ORIGINAL FESTOON 6486X	Unpacked 1	- x - x -		
4008321094308	ORIGINAL FESTOON 6486X	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm <sup>3</sup>	39.00 g
4008321094315	ORIGINAL FESTOON 6486X	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm <sup>3</sup>	245.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

## Product datasheet

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM