Product datasheet

OSRAM

ORIGINAL - FESTOON -

Original spare part





The cost-effective original spare parts

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for a wide range of festoon lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	6486X
------------------------	-------

Electrical Data

Power input	6 W
Nominal voltage	12.0 V
Nominal wattage	6 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometric Data

Nominal luminous flux	85 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions

Diameter	11.0 mm
Product weight	2.50 g
Length	36.0 mm
Lamp base	SV8.5-8

Lifetime Data

Lifespan B3	350 hr
Lifespan Tc	600 hr

Capabilities

-	ALIV
recnnology	AUX

Certificates & standards

ECE category	-
--------------	---

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Date of declaration	09-07-2024	

Product datasheet

Primary article identifier 4008321007803 4008321094292		
Candidate list substance 1	No declarable substances contained	
Declaration no. in SCIP database	In work	

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094315	ORIGINAL FESTOON 6486X		- x - x -	1.89 dm³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















