

# ORIGINAL LINE H15

OEM quality for trucks



## The cost-effective original spare parts for trucks

Continuously safe and robust: OSRAM ORIGINAL LINE is a balanced and economic solution for all standard requirements in the 24 V sector. Successfully used in millions of new vehicles from renowned manufacturers, whether as standard initial equipment or original spare parts. These reliable halogen lamps provide a convincing performance for standard requirements and are cost-effective. Convince yourself of the optimum price to performance ratio, the reliable OEM quality and the wide product range of the ORIGINAL LINE.

# Product datasheet

## Technical data

### Product information

Order reference	64177
Application (Category and Product specific)	Halogen headlight lamp

### Electrical data


Power input	73 / 24 W <sup>1)</sup>
Nominal voltage	24.0 V
Nominal wattage	60/20 W
Test voltage	28.0 V

<sup>1)</sup> Maximum

### Photometrical data

Luminous flux	300/1500 lm
Luminous flux tolerance	±10 / ±10 %
Color temperature	3200 K

### Dimensions & weight



Length	79.0 mm
Diameter	13.0 mm
Product weight	23.00 g

### Lifespan

Lifespan B3	200 / 1500 h
Lifespan Tc	400 / 3000 h

### Additional product data

Base (standard designation)	PGJ23t-1
-----------------------------	----------

## Product datasheet

### Capabilities

Technology	HAL
------------	-----

### Certificates & standards

ECE category	H15
--------------	-----

### Country specific categorizations

Order reference	64177
-----------------	-------

### Environmental information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321536556   4008321857057   4052899456594   4052899498587   4062172115599   4008321536532
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321536556	ORIGINAL LINE H15	Folding carton box 1	36 mm x 36 mm x 82 mm	0.11 dm <sup>3</sup>	27.00 g
4008321536563	ORIGINAL LINE H15	Bundle 10	73 mm x 83 mm x 182 mm	1.10 dm <sup>3</sup>	270.00 g
4008321536570	ORIGINAL LINE H15	Shipping carton box 100	373 mm x 178 mm x 191 mm	12.68 dm <sup>3</sup>	2880.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File
 360 Degree Image ORIGINAL TRUCK H15 64177

### Application advice

## Product datasheet

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM