Product family datasheet

OSRAM

SUPER RALLYE



Up to +50% more light for better visibility Compare with standard lamps



Up to 50% more light than standard lamps. OSRAM offers a bright and clear visual effect for drivers, make them fell more reliable.

Product family datasheet

Technical data

	Product information	General Product Information		Electric	Electrical Data			
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global order reference		Power input	Nominal voltage		
SUPER RALLYE ≜ H1	Halogen headlight lamp	Off-road ≙ H1	62241	62241 100 W ¹⁾ 24.0 V				
			Photomet		Physical Att Dimensions		Attributes & ons	
Product description	Nominal wattage	Test voltage	Nominal luminous flux		Luminou flux tolerance			ISE
SUPER RALLYE \doteq H1	100 W	28.0 V	2600 lm		±15 %		P14.5s	
			Lifetime Data		ata	Capabilities		Certificates & standards
Product description	Length	Diameter		Lifespan B3	Lifespan Tc			ECE category
SUPER RALLYE \doteq H1	62.5 mm	8.5 mm		50 hr	200 hr	HAL		
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)							
Product description	Primary article identifier	Declaration SCIP databa						
SUPER RALLYE ≜ H1	4062172130875 4052899523906 4008321675552	In work						

¹⁾ Maximum

Product family datasheet

A 承

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













