

# ORIGINAL - METAL BASE P21/5W

Original spare part



## The cost-effective original spare parts for trucks

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for 24 volt lamps. Due to the wide product range, the lamps can be used for different applications: as position and parking lights, indicator, brake, fog and reversing lights as well as number plate and side position lights.

# Product datasheet

## Technical data

### Product information

Order reference	7537
Application (Category and Product specific)	Auxiliary lamp


### Electrical data

Power input	28 / 10 W
Nominal voltage	24.0 V
Nominal wattage	21/5 W
Power input tolerance	$\pm 6 / \pm 10 \%$
Test voltage	28.0 V

### Photometrical data

Luminous flux	440/40 lm
Luminous flux tolerance	$\pm 15 / \pm 20 \%$

### Dimensions & weight



Length	52.5 mm
Diameter	27.0 mm
Product weight	8.10 g

### Lifespan

Lifespan B3	65 / 600 h
Lifespan Tc	600 / 1600 h

### Additional product data

Base (standard designation)	BAY15d
-----------------------------	--------

## Product datasheet

### Capabilities

Technology	AUX
------------	-----

### Certificates & standards

ECE category	P21/5W
--------------	--------

### Country specific categorizations

Order reference	7537
-----------------	------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	06-03-2024
Primary Article Identifier	4050300838038   4050300925943   4008321630124   4008321773449   4008321857071   4052899402232   4052899423671   4062172121354   4062172375078   4062172375047
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300838038	OSRA7537	-	4739970	-
4050300524863	OSRA7537	-	4739970	-
4050300838038	OSRA7537	-	4739970	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838038	ORIGINAL - METAL BASE P21/5W	Unpacked 1	27 mm x 27 mm x 53 mm	0.04 dm <sup>3</sup>	8.00 g
4050300524863	ORIGINAL - METAL BASE P21/5W	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm <sup>3</sup>	103.00 g
4008321091109	ORIGINAL - METAL BASE P21/5W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm <sup>3</sup>	565.00 g
4050300925943	ORIGINAL - METAL BASE P21/5W	Blister 2	- x - x -		
4008321141545	ORIGINAL - METAL BASE P21/5W	Shipping carton box 20	280 mm x 80 mm x 103 mm	2.31 dm <sup>3</sup>	307.00 g

## Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM