

ORIGINAL - METAL BASE P21/5W

Original spare part



The cost-effective original spare parts for trucks

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for 24 volt lamps. Due to the wide product range, the lamps can be used for different applications: as position and parking lights, indicator, brake, fog and reversing lights as well as number plate and side position lights.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	7537
------------------------	------

Electrical Data

Power input	28 / 10 W
Nominal voltage	24.0 V
Power input tolerance	±6 / ±10 %
Test voltage	28.0 V

Photometric Data

Nominal luminous flux	440/40 lm
Luminous flux tolerance	±15 / ±20 %

Physical Attributes & Dimensions

Lamp base	BAY15d
Length	52.5 mm
Diameter	27.0 mm
Product weight	8.10 g

Lifetime Data

Lifespan B3	65 / 600 hr
Lifespan Tc	600 / 1600 hr

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	P21/5W
--------------	--------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	09-07-2024

Product datasheet

Primary article identifier	4008321773449 4050300925943 4052899402232 4052899423671 4050300838038 4062172375047 4062172121354 4062172375078
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321091109	ORIGINAL - METAL BASE P21/5W		- x - x -	2.57 dm ³	
4008321141545	ORIGINAL - METAL BASE P21/5W		- x - x -	2.31 dm ³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM