

ORIGINAL - METAL BASE P21W

Original spare part



The cost-effective original spare parts for trucks

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for 24 volt lamps. Due to the wide product range, the lamps can be used for different applications: as position and parking lights, indicator, brake, fog and reversing lights as well as number plate and side position lights.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	7511
------------------------	------

Electrical Data

Power input	28 W
Nominal voltage	24.0 V
Nominal wattage	21 W
Power input tolerance	±6 %
Test voltage	28.0 V

Photometric Data

Nominal luminous flux	460 lm
Luminous flux tolerance	±15 %

Physical Attributes & Dimensions

Lamp base	BA15s
Length	52.5 mm
Diameter	26.5 mm
Product weight	9.10 g

Lifetime Data

Lifespan B3	200 hr
Lifespan Tc	400 hr

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	P21W
--------------	------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	09-07-2024

Product datasheet

Primary article identifier	4062172374996 4062172285391 4052899327696 4050300925929 4050300838090 4062172072380 4062172302999 4062172375023 4062172285414 4062172226561 4008321773722 4008321618801 4052899583740 4052899178427
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321090980	ORIGINAL - METAL BASE P21W		- x - x -	2.57 dm ³	
4008321140500	ORIGINAL - METAL BASE P21W		- x - x -	2.42 dm ³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM