Product datasheet

OSRAM

ORIGINAL - GLASS WEDGE BASE W5W

Original spare part





The cost-effective original spare parts for trucks

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Use these original spare parts for interior lighting, as reading lights, for instrument and switch lighting, as position and parking light and a lot of other applications in your truck. Discover these reliable lamps and OSRAM's proven high quality.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	2845
------------------------	------

Electrical Data

Power input	7 W
Nominal voltage	24.0 V
Nominal wattage	5 W
Power input tolerance	±10 %
Test voltage	28.0 V

Photometric Data

Nominal luminous flux	50 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions

Lamp base	W2.1x9.5d
Length	26.8 mm
Diameter	10.0 mm
Product weight	1.30 g

Lifetime Data

Lifespan B3	800 hr
Lifespan Tc	3000 hr

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	W5W
--------------	-----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of declaration 09-07-2024				

Product datasheet

Primary article identifier	4050300891552 4008321787897 405289940732 4052899560512 4008321139962	
Candidate list substance 1	No declarable substances contained	
Declaration no. in SCIP database	In work	

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094773	ORIGINAL - WEDGE BASE W5W		- x - x -	0.94 dm³	
4008321139979	ORIGINAL - WEDGE BASE W5W		- X - X -	1.13 dm ³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















