Product datasheet

OSRAM

ORIGINAL - FESTOON C5W

Original spare part





The cost-effective original spare parts for trucks

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for 24 volt lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp			
General Product Information				
Global order reference	6423			
Electrical Data				
Power input	7 W			
Nominal voltage	24.0 V			
Nominal wattage	5 W			
Power input tolerance	±10 %			
Test voltage	28.0 V			
Photometric Data				
Nominal luminous flux	45 lm			
Luminous flux tolerance	±20 %			
Physical Attributes & Dimensions				
Lamp base	SV8.5-8			
Length	36.0 mm			
Diameter	11.0 mm			

Lifetime Data

Product weight

Lifespan B3	1500 hr
Lifespan Tc	4000 hr

2.98 g

Capabilities

Technology	AUX

Certificates & standards

ECE category

C5W

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of declaration

09-07-2024

Product datasheet

Primary article identifier	4050300831435 4008321007711 4050300925981	
Candidate list substance 1	No declarable substances contained	
Declaration no. in SCIP database	In work	

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094322	ORIGINAL FESTOON C5W		- x - x -	1.89 dm³	
4008321140487	ORIGINAL FESTOON C5W		- x - x -	1.13 dm³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.











