

# ORIGINAL - PLASTIC MF BASE -

Original spare part



## The cost-effective original spare parts for motorcycles

With the ORIGINAL signal lamps for printed circuit boards, OSRAM offers a wide product range of original spare parts for motorcycles. These lamps provide OSRAM's reliable OEM quality and can be used for instrument and switch lighting.

# Product datasheet

## Technical data

### Product information

Order reference	2352MFX6
Application (Category and Product specific)	Auxiliary lamp


### Electrical data

Power input	2.13 W
Nominal voltage	12.0 V
Nominal wattage	2.00 W
Power input tolerance	±10 %
Test voltage	13.5 V

### Photometrical data

Luminous flux	11.8 lm
Luminous flux tolerance	±20 %

### Dimensions & weight



Length	17.5 mm
Diameter	5 mm
Product weight	0.74 g

### Colors & materials

Base color	Pale green
------------	------------

### Lifespan

Lifespan B3	1500 h
Lifespan Tc	6000 h

## Product datasheet

### Additional product data

Base (standard designation)	BX8.4d
-----------------------------	--------

### Capabilities

Thickness of PCB	1.25 mm
Technology	AUX

### Certificates & standards

ECE category	-
--------------	---

### Country specific categorizations

Order reference	2352MFX6
-----------------	----------

### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321097149   4008321011039   4062172046947
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172046947	ORIGINAL - PLASTIC MF BASE 2352MFX6	Unpacked 1	- x - x -		
4062172046954	ORIGINAL - PLASTIC MF BASE 2352MFX6	Folding carton box 10	- x - x -		
4062172046961	ORIGINAL - PLASTIC MF BASE 2352MFX6	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm <sup>3</sup>	122.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

## Product datasheet



# OSRAM