OSRAM

ORIGINAL - PLASTIC MF BASE -

Original spare part





The cost-effective original spare parts for motorcycles

With the ORIGINAL signal lamps for printed circuit boards, OSRAM offers a wide product range of original spare parts for motorcycles. These lamps provide OSRAM's reliable OEM quality and can be used for instrument and switch lighting.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	2722MFX
------------------------	---------

Electrical Data

Power input	2 W	
Nominal voltage	12.0 V	
Nominal wattage	2 W	
Power input tolerance	±10 %	
Test voltage	13.5 V	

Photometric Data

Nominal luminous flux	10.2 lm	
Luminous flux tolerance	±25 %	

Physical Attributes & Dimensions

Lamp base	BX8.5d
Length	23.5 mm
Diameter	5 mm
Product weight	1.18 g

Colors & materials

Lifetime Data

Lifespan B3	1300 hr
Lifespan Tc	4000 hr

Capabilities

Thickness of PCB	1.25 mm
Technology	AUX

Certificates & standards

ECE category	-
--------------	---

Product datasheet

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of declaration 26-06-2024				
Primary article identifier	4008321297181			
Candidate list substance 1	No declarable substances contained			
Declaration no. in SCIP database	In work			

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321297204	ORIGINAL - PLASTIC MF BASE 2722MFX		- x - x -	0.94 dm ³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















