

ORIGINAL - METAL BASE P21W

Original spare part



The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

Product datasheet

Technical data

Product information

| | |
|---|----------------|
| Order reference | 7506 |
| Application (Category and Product specific) | Auxiliary lamp |


Electrical data

| | |
|-----------------------|---------|
| Power input | 25 W |
| Nominal voltage | 12.0 V |
| Nominal wattage | 21.00 W |
| Power input tolerance | ±6 % |
| Test voltage | 13.5 V |

Photometrical data

| | |
|-------------------------|--------|
| Luminous flux | 460 lm |
| Luminous flux tolerance | ±15 % |

Dimensions & weight



| | |
|----------------|---------|
| Length | 52.5 mm |
| Diameter | 26.5 mm |
| Product weight | 7.69 g |

Lifespan

| | |
|-------------|-------|
| Lifespan B3 | 250 h |
| Lifespan Tc | 500 h |

Additional product data

| | |
|-----------------------------|-------|
| Base (standard designation) | BA15s |
|-----------------------------|-------|

Product datasheet

Capabilities

| | |
|------------|-----|
| Technology | AUX |
|------------|-----|

Certificates & standards

| | |
|--------------|------|
| ECE category | P21W |
|--------------|------|

Country specific categorizations

| | |
|-----------------|------|
| Order reference | 7506 |
|-----------------|------|

Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|---|
| Date of Declaration | 06-03-2024 |
| Primary Article Identifier | 4050300838120 4050300894843 4050300925448 4050300609171 4008321417428 4008321417404 4008321618443 4008321618313 4008321618283 4008321618467 4008321671899 4052899040892 4052899402034 4052899402058 4052899581562 4052899593473 4062172044189 4062172048668 4062172051200 4062172016803 4062172188241 4062172188289 4062172285353 4062172285339 4062172188265 4062172396325 4062172396301 |
| Candidate List Substance 1 | No declarable substances contained |
| Declaration No. in SCIP database | In work |

Country specific information

| Product code | METEL code | SEG number | STK number | UK Org |
|---------------|--------------|------------|------------|--------|
| 4050300838120 | OSRA7506 | 8328096 | - | - |
| 4050300524849 | OSRA7506 | 8328096 | - | - |
| 4050300838120 | OSRA7506 | 8328096 | - | - |
| 4050300925448 | OSRA7506BLI2 | - | 4730328 | - |
| 4050300925448 | OSRA7506BLI2 | - | 4730328 | - |

Logistical Data


| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|----------------------------|------------------------------|--------------------------------------|--------|--------------|
| 4050300838120 | ORIGINAL - METAL BASE P21W | Unpacked 1 | - x - x - | | |

Product datasheet

| | | | | | |
|---------------|-------------------------------|---------------------------|----------------------------|----------------------|----------|
| 4050300524849 | ORIGINAL - METAL BASE P21W | Folding carton box 10 | - x - x - | | 109.00 g |
| 4008321090966 | ORIGINAL - METAL BASE P21W | Shipping carton box 50 | 273 mm x 145 mm x 65 mm | 2.57 dm ³ | 543.00 g |
| 4050300925448 | ORIGINAL - METAL BASE P21W | Blister 2 | 95 mm x 70 mm x 27 mm | 0.18 dm ³ | 21.00 g |
| 4008321140494 | ORIGINAL - METAL BASE P21W | Shipping carton box 20 | 280 mm x 80 mm x 103 mm | 2.31 dm ³ | 274.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

| File | |
|---|--|
|  | 360 Degree Image ORIGINAL P21W 7506 |

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM