# **OSRAM**

# **ORIGINAL - METAL BASE RY10W**

Original spare part





#### The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

### Technical data

# **Product information**

Order reference	5009NA
Application (Category and Product specific)	Auxiliary lamp


#### **Electrical data**

Power input	10 W
Nominal voltage	12.0 V
Nominal wattage	10.00 W
Power input tolerance	±10 %
Test voltage	13.5 V

# Photometrical data

Luminous flux	75 lm
Luminous flux tolerance	±20 %

# **Dimensions & weight**



Length	37.5 mm
Diameter	16.0 mm
Product weight	5.50 g

# Lifespan

Lifespan B3	350 h
Lifespan Tc	800 h

# Additional product data

Base (standard designation)	BAU15s	
Product remark	Amber lamp for clear indicators	

# **Capabilities**

Technology	AUX
------------	-----

#### Certificates & standards

ECE category	RY10W

# **Country specific categorizations**

Order reference	5009NA

### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Date of Declaration 16-05-2024			
Primary Article Identifier	4062172062541   4062172159692   4062172252553		
Candidate List Substance 1	No declarable substances contained		
Declaration No. in SCIP database	In work		

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172252553	ORIGINAL - METAL BASE RY10W	Unpacked 1	- x - x -		6.00 g
4062172252560	ORIGINAL - METAL BASE RY10W	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm <sup>3</sup>	68.00 g
4062172252577	ORIGINAL - METAL BASE RY10W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm <sup>3</sup>	403.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

### **Application advice**

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

