Product datasheet

**OSRAM**

# ORIGINAL - METAL BASE -

Original spare part



## The cost-effective original spare parts for motorcycles

Discover OSRAM´s ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

---

## Product information

| | |
|---|---|
| **Application (Category and Product specific)** | Auxiliary lamp |

## General Product Information

| | |
|---|---|
| **Global order reference** | 3796 |

## Electrical Data

| | |
|---|---|
| **Power input** | 2 W |
| **Nominal voltage** | 12.0 V |
| **Nominal wattage** | 2 W |
| **Power input tolerance** | ±8 % |
| **Test voltage** | 13.5 V |

## Photometric Data

| | |
|---|---|
| **Nominal luminous flux** | 12.5 lm |
| **Luminous flux tolerance** | ±25 % |

## Physical Attributes & Dimensions

| | |
|---|---|
| **Lamp base** | BA9s |
| **Length** | 23.9 mm |
| **Diameter** | 9 mm |
| **Product weight** | 1.84 g |

## Lifetime Data

| | |
|---|---|
| **Lifespan B3** | 300 hr |
| **Lifespan Tc** | 750 hr |

## Capabilities

| | |
|---|---|
| **Technology** | AUX |

## Certificates & standards

| | |
|---|---|
| **ECE category** | - |

## Environmental & Regulatory Information

| **Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)** |
|---|
| **Date of declaration** | 09-07-2024 |

---

# Product datasheet

| | |
|---|---|
| **Primary article identifier** | 4050300891309 \| 4050300887470 |
| **Candidate list substance 1** | No declarable substances contained |
| **Declaration no. in SCIP database** | In work |

## Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---|---|---|---|---|---|
| 4008321095718 | ORIGINAL - METAL BASE 3796 | | - x - x - | 0.94 dm³ | |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**Application advice**

For more detailed application information and graphics please see product datasheet.

**Disclaimer**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

**OSRAM**