

ORIGINAL - METAL BASE -

Original spare part



The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

Product datasheet

Technical data

Product information

Order reference	3860
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	5 W
Nominal voltage	12.0 V
Nominal wattage	5.00 W
Power input tolerance	±15 %
Test voltage	13.5 V

Photometrical data

Luminous flux	50 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Length	27.4 mm
Diameter	9 mm
Product weight	1.89 g

Lifespan

Lifespan B3	400 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	BA9s
-----------------------------	------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	-
--------------	---

Country specific categorizations

Order reference	3860
-----------------	------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	05-03-2024
Primary Article Identifier	4008321095756
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321095756	OSRA3860	-	-	-
4008321095763	OSRA3860	-	-	-
4008321095756	OSRA3860	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321095756	ORIGINAL - METAL BASE 3860	Unpacked 1	- x - x -		
4008321095763	ORIGINAL - METAL BASE 3860	Folding carton box 10	- x - x -		
4008321095770	ORIGINAL - METAL BASE 3860	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	180.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Product datasheet

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM