OSRAM

ORIGINAL - METAL BASE -

Original spare part





The cost-effective original spare parts for motorcycles

Discover OSRAM's ORIGINAL signal lamps with metal bases - high-quality original spare parts for motorcycle lamps. Due to the wide product range, the lamps can be used for different applications. Use these lamps for example as position and parking lights or for number plate and side position lights of your motorcycle.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	3860
------------------------	------

Electrical Data

Power input	5 W
Nominal voltage	12.0 V
Nominal wattage	5 W
Power input tolerance	±15 %
Test voltage	13.5 V

Photometric Data

Nominal luminous flux	50 lm
Luminous flux tolerance	±20 %

Physical Attributes & Dimensions

Lamp base	BA9s
Length	27.4 mm
Diameter	9 mm
Product weight	1.89 g

Lifetime Data

Lifespan B3	400 hr
Lifespan Tc	1000 hr

Capabilities

-	ALIV
recnnology	AUX

Certificates & standards

ECE category	-
--------------	---

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Date of declaration	26-06-2024	

Product datasheet

Primary article identifier	4008321095756	
Candidate list substance 1	No declarable substances contained	
Declaration no. in SCIP database	In work	

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321095770	ORIGINAL - METAL BASE 3860		- x - x -	0.94 dm ³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















