

ORIGINAL - GLASS WEDGE BASE W3W

Original spare part



The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.



Product datasheet

Technical data

Product information

Application (Category and Product specific)	Auxiliary lamp
---	----------------

General Product Information

Global order reference	2821
------------------------	------

Electrical Data

Power input	3 W
Nominal voltage	12.0 V
Nominal wattage	3 W
Power input tolerance	±10 %
Test voltage	13.5 V

Photometric Data

Nominal luminous flux	22 lm
Luminous flux tolerance	±30 %

Physical Attributes & Dimensions

Lamp base	W2.1x9.5d
Length	26.8 mm
Diameter	10.3 mm
Product weight	1.34 g

Lifetime Data

Lifespan B3	1300 hr
Lifespan Tc	4000 hr

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	W3W
--------------	-----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	09-07-2024

Product datasheet

Primary article identifier	4052899265578 4052899560833 4050300925745 4052899560802 4062172395847 4050300838663 4050300888187 4050300888231 4052899418813 4052899560772 4062172395861
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321094438	ORIGINAL - WEDGE BASE W3W		- x - x -	0.94 dm ³	
4008321140371	ORIGINAL - WEDGE BASE W3W		- x - x -	1.13 dm ³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM