

ORIGINAL - GLASS WEDGE BASE

Original spare part



The cost-effective original spare parts for motorcycles

The ORIGINAL signal lamps with glass wedge bases can be used as original spare parts for your motorcycle. A large number of applications is possible: Position and parking lights, indicator, brake, fog and reversing lights, instrument and switch lighting, and much more.



Product family datasheet

Technical data

Product description	Product information	General Product Information	Electrical Data		
	Application (Category and Product specific)	Global order reference	Power input	Nominal voltage	Nominal wattage
ORIGINAL - WEDGE BASE W16W	Auxiliary lamp	921	19.4 W	12.8 V	16 W
ORIGINAL - WEDGE BASE WY16W	Auxiliary lamp	921NA	19.4 W	12.8 V	16 W
ORIGINAL - WEDGE BASE W2,3W	Auxiliary lamp	2723	2.3 W	12.0 V	2 W
ORIGINAL - WEDGE BASE W21/5W	Auxiliary lamp	7515	25 / 6 W	12.0 V	
ORIGINAL - WEDGE BASE W3W	Auxiliary lamp	2821	3 W	12.0 V	3 W
ORIGINAL - WEDGE BASE W21W	Auxiliary lamp	7505	25 W	12.0 V	21 W
ORIGINAL - WEDGE BASE W5W	Auxiliary lamp	2825	5 W	13.5 V	5 W
ORIGINAL - WEDGE BASE WY21W ¹⁾	Auxiliary lamp	7504	25 W	12.0 V	21 W
ORIGINAL - WEDGE BASE 2721	Auxiliary lamp	2721	1.22 W	12.0 V	1 W
ORIGINAL - WEDGE BASE 2722	Auxiliary lamp	2722	2 W	12.0 V	2 W
ORIGINAL - WEDGE BASE 2820	Auxiliary lamp	2820	2.2 W	12.0 V	2 W

Product description	Power input tolerance	Test voltage	Photometric Data	Physical Attributes & Dimensions	
			Nominal luminous flux	Lamp base	Length
ORIGINAL - WEDGE BASE W16W	±10 %	13.5 V	310 lm	W2.1x9.5d	38.0 mm
ORIGINAL - WEDGE BASE WY16W	±10 %	13.5 V	190 lm	W2.1x9.5d	38.0 mm
ORIGINAL - WEDGE BASE W2,3W	±8 %	13.5 V	18.6 lm	W2x4.6d	20.0 mm
ORIGINAL - WEDGE BASE W21/5W	±6 / ±10 %	13.5 V	440/35 lm	W3x16q	47.5 mm
ORIGINAL - WEDGE BASE W3W	±10 %	13.5 V	22 lm	W2.1x9.5d	26.8 mm
ORIGINAL - WEDGE BASE W21W	±6 %	13.5 V	460 lm	W3x16d	47.5 mm
ORIGINAL - WEDGE BASE W5W	±10 %	13.5 V	50 lm	W2.1x9.5d	26.8 mm
ORIGINAL - WEDGE BASE WY21W ¹⁾	±6 %	13.5 V	280 lm	WX3x16d	47.5 mm
ORIGINAL - WEDGE BASE 2721	±15 %	13.5 V	7.5 lm	W2x4.6d	20.0 mm
ORIGINAL - WEDGE BASE 2722	±15 %	13.5 V	12 lm	W2x4.6d	20.0 mm
ORIGINAL - WEDGE BASE 2820	±10 %	13.5 V	13.5 lm	W2.1x9.5d	26.8 mm

Product description	Diameter	Lifetime Data		Capabilities	Certificates & standards
		Lifespan B3	Lifespan Tc	Technology	ECE category
ORIGINAL - WEDGE BASE W16W	16.0 mm	400 hr	1000 hr	AUX	W16W
ORIGINAL - WEDGE BASE WY16W	16.0 mm	400 hr	1000 hr	AUX	WY16W
ORIGINAL - WEDGE BASE W2,3W	5 mm	350 hr	1200 hr	AUX	W2,3W
ORIGINAL - WEDGE BASE W21/5W	20.0 mm	250 / 600 hr ²⁾	500 / 1600 hr ²⁾	AUX	W21/5W
ORIGINAL - WEDGE BASE W3W	10.3 mm	1300 hr	4000 hr	AUX	W3W
ORIGINAL - WEDGE BASE W21W	20.0 mm	400 hr	600 hr	AUX	W21W
ORIGINAL - WEDGE BASE W5W	10.0 mm	350 hr	1000 hr	AUX	W5W
ORIGINAL - WEDGE BASE WY21W ¹⁾	20.0 mm	400 hr	600 hr	AUX	WY21W

Product family datasheet

Product description	Diameter	Lifetime Data		Capabilities	Certificates & standards
		Lifespan B3	Lifespan Tc	Technology	ECE category
ORIGINAL - WEDGE BASE 2721	5 mm	500 hr	2000 hr	AUX	-
ORIGINAL - WEDGE BASE 2722	5 mm	1300 hr	4000 hr	AUX	-
ORIGINAL - WEDGE BASE 2820	10.0 mm	600 hr	4000 hr	AUX	-

Product description	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Date of declaration	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL - WEDGE BASE W16W	09-07-2024	4062172374941 4062172396486 4062172374972 4062172396462 4006584393763 4052899135826 4008321349507 4052899406933 4052899250550 4052899444676 4008321298027 4008321100948	No declarable substances contained	In work
ORIGINAL - WEDGE BASE WY16W	09-07-2024	4062172080286 4052899230460 4062172080262	No declarable substances contained	In work
ORIGINAL - WEDGE BASE W2,3W	09-07-2024	4008321012968 4008321094834	No declarable substances contained	In work
ORIGINAL - WEDGE BASE W21/5W	09-07-2024	4062172396387 4052899324312 4052899417892 4062172345415 4052899324589 4062172396400	No declarable substances contained	In work
ORIGINAL - WEDGE BASE W3W	09-07-2024	4052899265578 4052899560833 4050300925745 4052899560802 4062172395847 4050300838663 4050300888187 4050300888231 4052899418813 4052899560772 4062172395861	No declarable substances contained	In work
ORIGINAL - WEDGE BASE W21W	09-07-2024	4052899324244 4062172396288 4052899324565 4062172396264 4052899417878 4062172345392	No declarable substances contained	In work

Product family datasheet


Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)				
Product description	Date of declaration	Primary article identifier	Candidate list substance 1	Declaration no. in SCIP database
ORIGINAL - WEDGE BASE W5W	09-07-2024	4052899418837 4052899560291 4062172395885 4008321163578 4062172004862 4062172395908 4050300888712 4050300887951 4052899560338 4052899560987 4052899560956 4052899560895 4052899560369 4052899560864 4050300838632 4050300985558 4052899418851 4050300925684	No declarable substances contained	In work
ORIGINAL - WEDGE BASE WY21W ¹⁾	09-07-2024	4008321165473 4062172345378 4062172396240 4062172294881	No declarable substances contained	In work
ORIGINAL - WEDGE BASE 2721	09-07-2024	4008321163615 4008321019363 4052899418790 4008321012814 4008321193681 4050300925769 4050300838540 4062172395786 4052899501690 4062172395762	No declarable substances contained	In work
ORIGINAL - WEDGE BASE 2722	09-07-2024	4052899407251 4008321032249 4008321094803 4050300925783	No declarable substances contained	In work
ORIGINAL - WEDGE BASE 2820	09-07-2024	4050300888156 4052899560741 4052899560673 4008321094094	No declarable substances contained	In work

¹⁾ Amber lamp for clear indicators

²⁾ Filament 1

Product family datasheet

Download Data

File	
	ref_pim_ams_p_product360degreeimages ORIGINAL W5W 2825

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

