

LEDCOMFO SL 6 W 2700 K

LEDCOMFO SPOT LIGHT 6 W | Indoor LED spotlights



Areas of application

- Cozy spot lighting for home
- Replacement for luminaires that use MR11, MR16 lamps and conventional spots
- Corridors
- Study rooms
- Glass cabinets
- Living rooms
- Bedrooms
- Nighttime lighting and star lighting effect

Product family benefits

- Suitable for use in areas with low ceilings thanks to compact design
- Various options to highlight target areas
- No extra maintenance thanks to long lifetime of LED
- Long lifetime of LED
- Strong light distribution due to special designed Fresnel lens
- Effective glare control due to adjustable head, concave stepping and Fresnel lens
- Energy savings of up to 80 % compared to luminaires that use halogen lamps
- Easy installation thanks to subtle locking system

Product family features

- Luminaire with energy-saving LED spot
- Lifetime (L70): up to 20,000 h
- Partially adjustable head
- Beam angle: 14°, 24°, 36°



Product datasheet

Technical data

Product information

Order reference	LEDCOMFO SL 6W
-----------------	----------------

Electrical data

Nominal wattage	6 W
Connected load	6 W
Nominal voltage	220...240 V
Supply voltage	220...240 V
Mains frequency	50 Hz

Photometrical data

Color temperature	2700 K
Color temperature [AGMP]	2700 K
Luminous flux	330 lm
Color rendering index Ra	>80
Color rendering index Ra [AGMP]	>80

Light technical data

Beam angle	medium distribution, 36 °
------------	---------------------------

Dimensions & weight

Length	0.0 mm
Width	74.0 mm
Diameter	90.0 mm
Height	70.0 mm
Product weight	0.1 kg

Colors & materials

Body material	aluminium
Product color	white
Cover material	PC

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Certificates & standards

Protection class	insulation class II (safety insulation)
------------------	-----------------------------------------

Product datasheet

Type of protection	IP20
--------------------	------

Country specific categorizations

Order reference	LEDCOMFO SL 6W
-----------------	----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899181670	LEDCOMFO SL 6 W 2700 K	Folding carton box 1	- x - x -		
4052899181687	LEDCOMFO SL 6 W 2700 K	Shipping carton box 36	483 mm x 450 mm x 314 mm	68.25 dm ³	8095.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.