

LDTH SKYWAVE 6 W 840 DALI LP

LEDTOUCH SKYWAVE | Indoor LED ceiling luminaires

Areas of application

- Offices, schools
- Banks
- Hospitals
- Retail outlets

Product family benefits

- Keeps shape thanks to 0.6 mm thick steel housing
- Can be secured against drops thanks to special safety design
- Elegant design
- Very comfortable light thanks to special light control
- High-performance LEDs
- Compact and robust design



Product datasheet

Product family features

- Low luminaire height: < 60 mm
- High system efficiency: 95 lm/W
- Available with on/off switch or DALI dimmer (1...100 %)
- Lifetime: up to 50,000 h
- Glare index: UGR < 22
- Electronic control gear for direct connection to AC mains voltage
- Type of protection: IP20

Product datasheet

Technical data

Product information

Order reference	LDTH SKYWAVE LP
-----------------	-----------------

Electrical data

Operating mode	ECG
Nominal wattage	30 W
Connected load	30 W
Nominal voltage	220...240 V
Supply voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Color temperature [AGMP]	4000 K
Luminous flux	2850 lm
Color rendering index Ra	>80
Color rendering index Ra [AGMP]	>80

Light technical data

Beam angle	110 °
------------	-------

Dimensions & weight

Length	597.0 mm
Width	597.0 mm
Height	60.0 mm
Product weight	3.2 kg

Colors & materials

Body material	steel
Product color	white
Cover material	PC

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Additional product data

Type of cover	cover
---------------	-------

Product datasheet

Capabilities

Type of installation	lay-in mounting/suspended mounting
Type of connection	with single terminals

Certificates & standards

Protection class	insulation class I (protective earthing)
Type of protection	IP20

Country specific categorizations

Order reference	LDTH SKYWAVE LP
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899363106	LDTH SKYWAVE 6 W 840 DALI LP	Shipping carton box 2	692 mm x 692 mm x 191 mm	91.46 dm ³	8330.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.