

OPTV SKYLITE 36 W 296x1196 840

OPTIVALU Skylite | Indoor LED ceiling luminaires



Areas of application

- Offices, schools
- Hospitals
- Banks
- Retail

Product family benefits

- Elegant design
- Low luminaire height: 50 mm (without electronic control gear)
- High light uniformity
- High-performance LEDs
- Robust steel housing
- Prevents intruding of insects thanks to closed luminaire

Product family features

- High system efficiency: up to 105 lm/W
- Lifetime: up to 30,000 h
- Type of protection: IP20



Product datasheet

Technical data

Product information

Order reference	OPTV SKYLITE 03
-----------------	-----------------

Electrical data

Operating mode	ECG
Nominal wattage	36 W
Connected load	36 W
Nominal voltage	220...240 V
Supply voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Color temperature [AGMP]	4000 K
Luminous flux	3700 lm
Color rendering index Ra	>80
Color rendering index Ra [AGMP]	>80

Light technical data

Beam angle	110 °
------------	-------

Dimensions & weight

Length	296.0 mm
Width	1196 mm
Height	50.0 mm
Product weight	3.8 kg

Colors & materials

Body material	steel
Product color	white
Cover material	PC

Additional product data

Type of cover	diffuser
---------------	----------

Capabilities

Type of installation	recessed
----------------------	----------

Product datasheet

Certificates & standards

Protection class	insulation class I (protective earthing)
Type of protection	IP20

Country specific categorizations

Order reference	OPTV SKYLITE 03
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899435711	OPTV SKYLITE 36 W 296x1196 840	Shipping carton box 2	1235 mm x 335 mm x 125 mm	51.72 dm ³	9049.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.