
Product family benefits

- Elegant design
- Low luminaire height: 50 mm (without electronic control gear)
- High light uniformity
- High-performance LEDs
- Robust steel housing
- Prevents intruding of insects thanks to closed luminaire

Product family features

- High system efficiency: up to 105 lm/W
- Lifetime: up to 30,000 h
- Type of protection: IP20



Product family datasheet

Technical data

Product description	Product information	Electrical data			
	Order reference	Operating mode	Nominal wattage	Connected load	Supply voltage
OPTV SKYLITE 27 W 596x596 840	OPTV SKYLITE LP	ECG	27 W	27 W	220...240 V
OPTV SKYLITE 36 W 596x596 840	OPTV SKYLITE 06	ECG	36 W	36 W	220...240 V
OPTV SKYLITE 36 W 296x1196 840	OPTV SKYLITE 03	ECG	36 W	36 W	220...240 V

Product description	Nominal voltage	Mains frequency	Photometrical data			
			Color temperature	Color temperature [AGMP]	Luminous flux	Color rendering index Ra [AGMP]
OPTV SKYLITE 27 W 596x596 840	220...240 V	50/60 Hz	4000 K	4000 K	2800 lm	>80
OPTV SKYLITE 36 W 596x596 840	220...240 V	50/60 Hz	4000 K	4000 K	3700 lm	>80
OPTV SKYLITE 36 W 296x1196 840	220...240 V	50/60 Hz	4000 K	4000 K	3700 lm	>80

Product description	Color rendering index Ra	Light technical data	Dimensions & weight			Colors & materials
		Beam angle	Length	Width	Height	Body material
OPTV SKYLITE 27 W 596x596 840	>80	110 °	596.0 mm	596.0 mm	50.0 mm	steel
OPTV SKYLITE 36 W 596x596 840	>80	110 °	596.0 mm	596.0 mm	50.0 mm	steel
OPTV SKYLITE 36 W 296x1196 840	>80	110 °	296.0 mm	1196 mm	50.0 mm	steel

Product description	Product color	Cover material	Capabilities	Certificates & standards	
			Type of installation	Protection class	Type of protection
OPTV SKYLITE 27 W 596x596 840	white	PC	recessed	insulation class I (protective earthing)	IP20
OPTV SKYLITE 36 W 596x596 840	white	PC	recessed	insulation class I (protective earthing)	IP20
OPTV SKYLITE 36 W 296x1196 840	white	PC	recessed	insulation class I (protective earthing)	IP20

Product family datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.