## **OSRAM**

# **LEDriving BASIC T4W**



## Product family datasheet

#### Technical data

	Product information			Electrical data			
Product description	Order reference	Product type (off- road vs. on-road)	Application and Product	`	Power input	Nominal voltage	Nominal wattage
LEDriving BASIC ≜ T4W	3750CW	Off-road ≙ T4W	. ,		0.78 W	12.0 V	0.65 W
		Photometrical	data	Dimensions	Lifespai	,	Capabilities

		Photometrical data		Dimensions & weight	Lifespan		Capabilities
Product description	Test voltage	Luminous flux	Luminous flux tolerance	Diameter	Lifespan B3	Lifespan Tc	Technology
LEDriving BASIC ≙ T4W	13.5 V	30 lm	±20 %	9.5 mm	2000 h	2000 h	LED

Envir	onme	enta	l infor	mation					
Infor	matio	n ac	cordi	ng Art. 33 o	f EU Regul	ation (EC) 1	.907/20	006 (REAC	h)
<b>.</b> .						_			

Product description	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	CAS No. of substance 1
LEDriving BASIC ≜ T4W	06-03-2024	4052899414655   4052899414617	Lead	7439-92-1
		4052899427471   4052899463066		
		4052899463271		

Product description	Safe Use Instruction	Declaration No. in SCIP database
LEDriving BASIC ≙ T4W	The identification of	dc70588f-5433-
	the Candidate List	4c78-9a81-
	substance is	18450deb8f7c
	sufficient to allow	9add2d47-cd43-
	safe use of the	47d0-90e8-
	article.	b42553d559f6
		a1bf53bb-4f21-4d5b-
		a18e-23d37d00db14
		aadf4566-2f5c-
		420c-940e-
		ab52c14c2128
		4ed996ff-d5b8-4576-
		b168-a975922e67e5

### Product family datasheet

#### Download Data

#### File



Brochures

LEDriving Retrofits - Exchange overview (EN)

#### Legal advice

Not ECE conform

Only approved for off-road use. Any use on public road traffic leads to cancellation of vehicle operating licence and loss of insurance cover.

#### **References / Links**

Guarantee terms are available at www.osram.com/am-guarantee

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.