

LEDCOMFO Track Light 25 W 840 15°

LEDCOMFO Track Light 25 W | Indoor LED spotlights



Areas of application

- Shops (showcases, displays, sales counters)
- Shopping malls
- Lobbies and corridors
- Commercial buildings
- Retail outlets
- For indoor use only

Product family benefits

- Deeply recessed cover design to offer good glarecontrol
- Robust housing made of aluminum
- Top-level COB platform provides stable quality light
- Combined optics design to offer more even brightness

Product family features

- Beam angle: 15°, 24° and 40°
- Flexible power options: 9W / 15W / 25W / 40W
- Surface and track mounting options
- Dual-circuit track connection compatible with most of the tracks in market
- Rotation angle (horizontal): 355°, swiveling (vertical): 90°



non EU



Product datasheet

Technical data

Product information

Order reference	LEDCOMFO TR 25W
-----------------	-----------------

Electrical data

Operating mode	ECG
Nominal wattage	25 W
Connected load	25 W
Nominal voltage	220...240 V
Supply voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Color temperature [AGMP]	4000 K
Luminous flux	1600 lm
Color rendering index Ra	>80
Color rendering index Ra [AGMP]	>80

Light technical data

Beam angle	15 °
Light distribution	rotationally symmetric

Dimensions & weight

Length	206.0 mm
Width	71.0 mm
Height	156.0 mm
Product weight	0.6 kg

Colors & materials

Body material	extruded aluminium section
Product color	white

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Additional product data

Type of cover	lenses
---------------	--------

Product datasheet

Capabilities

Type of installation	DIN rail mounting
----------------------	-------------------

Certificates & standards

Protection class	insulation class II (safety insulation)
Type of protection	IP20

Country specific categorizations

Order reference	LEDCOMFO TR 25W
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899480247	LEDCOMFO Track Light 25 W 840 15°	Folding carton box 1	250 mm x 232 mm x 115 mm	6.67 dm ³	888.00 g
4052899480254	LEDCOMFO Track Light 25 W 840 15°	Shipping carton box 12	520 mm x 484 mm x 370 mm	93.12 dm ³	12101.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.