

LEDCOMFO Multi-head 2X9 W 830 40°

LEDCOMFO Multi-head 2X9W | Indoor LED spotlights



Areas of application

- Display lighting
- Commercial buildings
- Retail outlets
- Shopping malls
- Lobbies and corridors
- Households
- For indoor use only

Product family benefits

- Die-casting housing
- Easy fit in different architectural structures
- More than 50 % energy savings compared to traditional multi-head spot light
- Good glare control thanks to concave stepping cover design

Product family features

- Beam angle: 15°, 24° and 40°
- 30° vertical adjustable, 180° horizontal adjustable
- Flexible product options: 2 head arrangements
- Individual driver for each module
- Failure of single module won't affect others
- Easy installation thanks to rimless design



non EU



Product datasheet

Technical data

Product information

Order reference	LDCMF MULTI-HEA
-----------------	-----------------

Electrical data

Operating mode	ECG
Nominal wattage	18 W
Connected load	18 W
Lamp wattage	9 W
Nominal voltage	220...240 V
Supply voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	3000 K
Color temperature [AGMP]	3000 K
Luminous flux	1267 lm
Color rendering index Ra	>80
Color rendering index Ra [AGMP]	>80

Light technical data

Beam angle	40 °
Light distribution	symmetric

Dimensions & weight

Length	216.0 mm
Width	113.0 mm
Height	82.0 mm
Product weight	0.8 kg

Colors & materials

Body material	aluminium
Product color	black
Cover material	PC

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Product datasheet

Additional product data

Number of lighting outlets	2
Type of cover	cover

Capabilities

Type of installation	recessed
----------------------	----------

Certificates & standards

Protection class	insulation class II (safety insulation)
Type of protection	IP20

Country specific categorizations

Order reference	LDCMF MULTI-HEA
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899483354	LEDCOMFO Multi-head 2X9 W 830 40°	Folding carton box 1	277 mm x 145 mm x 110 mm	4.42 dm ³	965.00 g
4052899483361	LEDCOMFO Multi-head 2X9 W 830 40°	Shipping carton box 12	575 mm x 455 mm x 235 mm	61.48 dm ³	12725.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.