

## LEDCOMFO Multi-head 3X9 W 830 40°

LEDCOMFO Multi-head 3X9W | Indoor LED spotlights



### Areas of application

- Display lighting
- Commercial buildings
- Retail outlets
- Shopping malls
- Lobbies and corridors
- Households
- For indoor use only

### Product family benefits

- Die-casting housing
- Easy fit in different architectural structures
- More than 50 % energy savings compared to traditional multi-head spot light
- Good glare control thanks to concave stepping cover design

### Product family features

- Beam angle: 15°, 24° and 40°
- 30° vertical adjustable, 180° horizontal adjustable
- Flexible product options: 3 head arrangements
- Individual driver for each module
- Failure of single module won't affect others
- Easy installation thanks to rimless design



# Product datasheet

## Technical data

### Product information

Order reference	LDCMF MULTI-HEA
-----------------	-----------------

### Electrical data

Operating mode	ECG
Nominal wattage	27 W
Connected load	27 W
Nominal voltage	220...240 V
Supply voltage	220...240 V
Mains frequency	50/60 Hz

### Photometrical data

Color temperature	3000 K
Color temperature [AGMP]	3000 K
Luminous flux	1787 lm
Color rendering index Ra	>80
Color rendering index Ra [AGMP]	>80

### Light technical data

Beam angle	40 °
Light distribution	symmetric

### Dimensions & weight

Length	300.0 mm
Width	113.0 mm
Height	82.0 mm
Product weight	1.1 kg

### Colors & materials

Body material	aluminium
Product color	black
Cover material	PC

### Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

### Additional product data

## Product datasheet

Number of lighting outlets	3
Type of cover	cover

### Capabilities

Type of installation	recessed
----------------------	----------

### Certificates & standards

Protection class	insulation class II (safety insulation)
Type of protection	IP20

### Country specific categorizations

Order reference	LDCMF MULTI-HEA
-----------------	-----------------

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899483538	LEDCOMFO Multi-head 3X9 W 830 40°	Folding carton box 1	340 mm x 150 mm x 105 mm	5.36 dm <sup>3</sup>	1292.00 g
4052899483545	LEDCOMFO Multi-head 3X9 W 830 40°	Shipping carton box 6	470 mm x 355 mm x 235 mm	39.21 dm <sup>3</sup>	8583.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.