

LEDCOMFO Multi-head 2X18 W 840 24°

LEDCOMFO Multi-head 2X18W | Indoor LED spotlights



Areas of application

- Display lighting
- Commercial buildings
- Retail outlets
- Shopping malls
- Lobbies and corridors
- Households
- For indoor use only

Product family benefits

- Die-casting housing
- Easy fit in different architectural structures
- More than 50 % energy savings compared to traditional multi-head spot light
- Good glare control thanks to concave stepping cover design

Product family features

- Beam angle: 14°, 24°, 36°
- 30° vertical adjustable, 180° horizontal adjustable
- Flexible product options: 2 head arrangements
- Individual driver for each module
- Failure of single module won't affect others
- Easy installation thanks to rimless design



Product datasheet

Technical data

Product information

Order reference	LDCMF MULTI-HEA
-----------------	-----------------

Electrical data

Operating mode	ECG
Nominal wattage	36 W
Connected load	36 W
Lamp wattage	18 W
Nominal voltage	220...240 V
Supply voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Color temperature [AGMP]	4000 K
Luminous flux	2830 lm
Color rendering index Ra	>80
Color rendering index Ra [AGMP]	>80

Light technical data

Beam angle	24 °
Light distribution	symmetric

Dimensions & weight

Length	273.0 mm
Width	141.0 mm
Height	98.0 mm
Product weight	1.1 kg

Colors & materials

Body material	aluminium
Product color	black
Cover material	PC

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Product datasheet

Additional product data

Number of lighting outlets	2
Type of cover	cover

Capabilities

Type of installation	recessed
----------------------	----------

Certificates & standards

Protection class	insulation class II (safety insulation)
Type of protection	IP20

Country specific categorizations

Order reference	LDCMF MULTI-HEA
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899484153	LEDCOMFO Multi-head 2X18 W 840 24°	Folding carton box 1	315 mm x 180 mm x 125 mm	7.09 dm ³	1374.00 g
4052899484160	LEDCOMFO Multi-head 2X18 W 840 24°	Shipping carton box 6	560 mm x 335 mm x 270 mm	50.65 dm ³	9164.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.