

## LEDCOMFO Multi-head 1X30 W 857 15°

LEDCOMFO Multi-head 1X30W | Indoor LED spotlights



### Areas of application

- Display lighting
- Commercial buildings
- Retail outlets
- Shopping malls
- Lobbies and corridors
- Households
- For indoor use only

### Product family benefits

- Die-casting housing
- Easy fit in different architectural structures
- More than 50 % energy savings compared to traditional multi-head spot light
- Good glare control thanks to concave stepping cover design

### Product family features

- Beam angle: 15°, 24° and 40°
- 30° vertical adjustable, 180° horizontal adjustable
- Flexible product options: 1 head arrangement
- Individual driver for each module
- Easy installation thanks to rimless design



non EU



# Product datasheet

## Technical data

### Product information

Order reference	LDCMF MULTI-HEA
-----------------	-----------------

### Electrical data

Operating mode	ECG
Nominal wattage	30 W
Connected load	30 W
Lamp wattage	30 W
Nominal voltage	220...240 V
Supply voltage	220...240 V
Mains frequency	50/60 Hz

### Photometrical data

Color temperature	5700 K
Color temperature [AGMP]	5700 K
Luminous flux	2620 lm
Color rendering index Ra	>80
Color rendering index Ra [AGMP]	>80

### Light technical data

Beam angle	15 °
Light distribution	symmetric

### Dimensions & weight

Length	171.0 mm
Width	171.0 mm
Height	122.0 mm
Product weight	0.9 kg

### Colors & materials

Body material	aluminium
Product color	black
Cover material	PC

### Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

## Product datasheet

### Additional product data

Number of lighting outlets	1
Type of cover	cover

### Capabilities

Type of installation	recessed
----------------------	----------

### Certificates & standards

Protection class	insulation class II (safety insulation)
Type of protection	IP20

### Country specific categorizations

Order reference	LDCMF MULTI-HEA
-----------------	-----------------

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899484290	LEDCOMFO Multi-head 1X30 W 857 15°	Folding carton box 1	205 mm x 205 mm x 140 mm	5.88 dm <sup>3</sup>	1135.00 g
4052899484306	LEDCOMFO Multi-head 1X30 W 857 15°	Shipping carton box 12	425 mm x 425 mm x 450 mm	81.28 dm <sup>3</sup>	14879.00 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.