

ECOFITZ HIGHBAY 130 W L 857

ECOFITZ LED Highbay | High-bay luminaires



Areas of application

- Industrial and commercial halls
- Indoor public areas (airports, stations, stadiums)
- Logistics halls
- For indoor use only

Product family benefits

- No extra maintenance thanks to long lifetime of LED
- Reflector to reduce glare and light pollution

Product family features

- Luminaire efficacy: up to 110 lm/W
- Robust die-cast aluminum housing
- Color rendering index R_a : > 80
- Same appearance as HID Highbay



Product datasheet

Technical data

Product information

Order reference	ECOFITZ HIGHBAY
-----------------	-----------------

Electrical data

Operating mode	ECG
Nominal wattage	130 W
Connected load	130 W
Nominal voltage	220...240 V
Supply voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	5700 K
Color temperature [AGMP]	5700 K
Luminous flux	14539 lm
Color rendering index Ra	>80
Color rendering index Ra [AGMP]	>80

Light technical data

Beam angle	80 °
Light distribution	rotationally symmetric

Dimensions & weight

Length	0.0 mm
Diameter	384.0 mm
Height	242.0 mm
Product weight	2.4 kg

Colors & materials

Body material	diecast aluminium
Product color	silver
Cover material	PC

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Additional product data

Product datasheet

Type of cover	cover
---------------	-------

Capabilities

Type of installation	suspended mounting
----------------------	--------------------

Certificates & standards

Protection class	insulation class I (protective earthing)
Type of protection	IP20

Country specific categorizations

Order reference	ECOFITZ HIGHBAY
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899498334	ECOFITZ HIGHBAY 130 W L 857	Unpacked 1	- x - x -		
4052899498341	ECOFITZ HIGHBAY 130 W L 857	Shipping carton box 2	470 mm x 470 mm x 450 mm	99.41 dm ³	6570.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.