

ECOFITZ HIGHBAY 200 W L 840

ECOFITZ LED Highbay | High-bay luminaires



Areas of application

- Industrial and commercial halls
- Indoor public areas (airports, stations, stadiums)
- Logistics halls
- For indoor use only

Product family benefits

- No extra maintenance thanks to long lifetime of LED
- Reflector to reduce glare and light pollution

Product family features

- Luminaire efficacy: up to 110 lm/W
- Robust die-cast aluminum housing
- Color rendering index R_a : > 80
- Same appearance as HID Highbay



Product datasheet

Technical data

Product information

Order reference	ECOFITZ HIGHBAY
-----------------	-----------------

Electrical data

Operating mode	ECG
Nominal wattage	200 W
Connected load	200 W
Nominal voltage	220...240 V
Supply voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Color temperature [AGMP]	4000 K
Luminous flux	22367 lm
Color rendering index Ra	>80
Color rendering index Ra [AGMP]	>80

Light technical data

Beam angle	80 °
Light distribution	rotationally symmetric

Dimensions & weight

Length	0.0 mm
Diameter	511.0 mm
Height	289.0 mm
Product weight	4 kg

Colors & materials

Body material	diecast aluminium
Product color	silver
Cover material	PC

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Additional product data

Product datasheet

Type of cover	cover
---------------	-------

Capabilities

Type of installation	suspended mounting
----------------------	--------------------

Certificates & standards

Protection class	insulation class I (protective earthing)
Type of protection	IP20

Country specific categorizations

Order reference	ECOFITZ HIGHBAY
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899498358	ECOFITZ HIGHBAY 200 W L 840	Unpacked 1	- x - x -		
4052899498365	ECOFITZ HIGHBAY 200 W L 840	Shipping carton box 2	630 mm x 630 mm x 540 mm	214.33 dm ³	10750.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.