

LEDCOMFO Spot Light G2 200 840 30D

LEDCOMFO Spot Light G2 3 W | Indoor LED spotlights



Areas of application

- Corridors
- Reception areas
- Residential sector
- Commercial areas
- For indoor use only

Product family benefits

- Good color consistency thanks to high quality LED
- Even light distribution thanks to optimal usage of optical design reflector
- Unique design
- High brightness thanks to LED technology
- High efficacy

Product family features

- Lifetime: up to 20,000 h
- Beam angle: 30°, 60°
- Flexible power options: 3W / 6W / 9W
- Adjustable structure (rotation angle: 30°)
- Surge protection: 1 kV and 2.5 kV



Product datasheet

Technical data

Product information

Order reference	LEDCOMFO SL G2
-----------------	----------------

Electrical data

Operating mode	ECG
Nominal wattage	3 W
Connected load	3 W
Nominal voltage	220...240 V
Supply voltage	220...240 V
Mains frequency	50/60 Hz

Photometrical data

Color temperature	4000 K
Color temperature [AGMP]	4000 K
Luminous flux	240 lm
Color rendering index Ra	>80
Color rendering index Ra [AGMP]	>80

Light technical data

Beam angle	110 °
Light distribution	symmetric

Dimensions & weight

Length	0.0 mm
Diameter	76.0 mm
Height	40.0 mm
Product weight	0.1 kg

Colors & materials

Body material	aluminium
Product color	signal white (RAL 9003)
Cover material	PC

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Additional product data

Product datasheet

Type of cover	cover
---------------	-------

Capabilities

Type of installation	recessed
----------------------	----------

Certificates & standards

Protection class	insulation class II (safety insulation)
Type of protection	IP20

Country specific categorizations

Order reference	LEDCOMFO SL G2
-----------------	----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899494329	LEDCOMFO Spot Light G2 200 840 30D	Folding carton box 3	- x - x -		
4052899494336	LEDCOMFO Spot Light G2 200 840 30D	Shipping carton box 60	370 mm x 330 mm x 358 mm	43.71 dm ³	8543.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.