

# LEDriving SL C5W 6413 WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Cool White



**Replaces conventional C5W lamps** 

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



#### Suitable LED replacement for C5W

LEDriving SL C5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional C5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

# Technical data

	Product information		General Product Information	Electrical Data		
Product description		on (Category act specific)	Product type (off- road vs. on-road)	Global order reference	Power I input	Nominal voltage
LEDriving SL ≙ C5W	Mainly use number pl interior ap		Off-road ≙ C5W	6413DWP	0.8 W	12.0 V
				Photometric Data		Physical Attributes & Dimensions
Product description	Nominal w	vattage	Test voltage	Nominal luminous flux	Luminous flux tolerance	Diameter
Product description  LEDriving SL	Nominal w	vattage			flux	Diameter 11.0 mm
·			voltage	flux	flux tolerance ±30 % latory Informa Art. 33 of EU	11.0 mm
·	0 W		voltage 13.5 V	flux  45 lm  Environmental & Regul Information according A	flux tolerance ±30 % latory Informa Art. 33 of EU	11.0 mm

Product description	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≙ C5W	7439-92-1	The identification of	3c1022ad-9f49-4c60-
		the Candidate List	be7a-
		substance is	d30573b51b76 f8a30
		sufficient to allow	710-07c3-4aee-90ea-
		safe use of the	d4ba90bf5147 628ac
		article.	9fe-f921-45e3-8d97-
			7068d647319d

4062172150675 | 4062172054171

 $<sup>^{1)}</sup>$  Light-emitting diode lamp

# Product family datasheet

#### Download Data

#### File



**Brochures** 

LEDriving Retrofits - Exchange overview (EN)

## Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

## Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.