# **OSRAM**

# LEDriving SL W21W WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Cool White



Replaces conventional W21W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



#### Suitable LED replacement for W21W

LEDriving SL W21W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional W21W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

## Technical data

LEDriving SL  $\triangleq$  W21W

	Product information	Product information General Inform		Product ion	Electrical Data	
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)		Global order reference		Nominal voltage
LEDriving SL ≜ W21W	Mainly used for signal/ indicator applications	Off-road ≙ W21W	7505DW	7505DWP 2.8 W  Photometric Data		12.0 V
						Physical Attributes & Dimensions
Product description	Nominal wattage		Test voltage	Nominal luminous flux		Lamp base

			Lifetime Data		Capabilities
Product description	Length	Diameter	Lifespan B3	Lifespan Tc	Technology
LEDriving SL ≙ W21W	47.5 mm	20.0 mm	1500 hr	4000 hr	LED <sup>1)</sup>

toleranc

±10 %

13.5 V

145 lm

W3x16d

1 W

		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)					
Product description	Primary article identifier	Candidate list substance 1	CAS No. of substance 1	Safe use instruction			
LEDriving SL ≙ W21W	4062172149235   4062172401555	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.			

Product description	Declaration no. in SCIP database	
LEDriving SL ≙ W21W	b17cb697-22fd-	
	4988-ab24-	
	6d4a760d00b6	

 $<sup>^{1)}</sup>$  Light-emitting diode lamp

# Product family datasheet

#### Download Data

#### File



**Brochures** 

LEDriving Retrofits - Exchange overview (EN)

## Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

## Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.