# **OSRAM**

# LEDriving SL W21W YELLOW

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications

Available in Amber



Replaces conventional W21W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements

4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



## Suitable LED replacement for W21W

LEDriving SL W21W replacement lamps offer a modern and intense light. These replacement lamps are suitable for all conventional W21W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

# Product family datasheet

# Technical data

	Product information		General Product Information		Electrical Data	
Product description	Application (Category and Product specific)	Product type (off- road vs. on-road)	Global or reference		Power input	Nominal voltage
LEDriving SL ≜ W21W	Mainly used for signal/ indicator applications	Off-road ≙ W21W	7505DYP	)	2 W	12.0 V
				Photometric	Data	Physical Attributes & Dimensions

				Photometric Data	Dimensions
Product description	Nominal wattage	Power input toleranc	Test voltage	Nominal luminous flux	Lamp base
		е			
LEDriving SL ≙ W21W	1 W	±10 %	13.5 V	55 lm	W3x16d
	·				

			Lifetime D	ata	Capabilities
Product description	Length	Diameter	Lifespan B3	Lifespan Tc	Technology
LEDriving SL ≙ W21W	47.5 mm	20.0 mm	1500 hr	4000 hr	LED 1)

Environmental & Regulatory Information
Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

	mornation according via 33 or 20 regulation (25) 2307,2000 (R2XeII)				
Product description	Primary article identifier	Candidate list substance 1	CAS No. of substance	Safe use instruction	
LEDriving SL ≜ W21W	4062172149273   4062172401593	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	

Product description	Declaration no. in SCIP database	
LEDriving SL ≙ W21W	242dbb41-1832-	
	44be-a6e6-	
	faceaa8bb4e0	

<sup>1)</sup> Light-emitting diode lamp

# Product family datasheet

#### Download Data

#### File



**Brochures** 

LEDriving Retrofits - Exchange overview (EN)

### Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.