Product family datasheet

LEDriving SL PS19W

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Cool White



Replaces conventional PS19W lamps

Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for PS19W

LEDriving SL PS19W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional PS19W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps.These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Product family datasheet

Technical data

	Product informati	Product information		General Product Information		Electrical Data	
Product description		plication (Category d Product specific)	Global o referenc		Power input	Nominal voltage	
LEDriving SL \triangleq PS19W	PS19W day	iinly used for ytime running light plications	5201DW	VP	1.8 W	12.0 V	
				Photometric	Data	Physical Attributes & Dimensions	
Product description	Nominal wattage		Test voltage	Nominal lum flux	inous	Lamp base	
LEDriving SL \triangleq PS19W	1 W	±10 %	13.5 V	140 lm		PG20-1	
				Lifetime Det	_	Canabilities	

			Lifetime Data		Capabilities
Product description	Length	Diameter	Lifespan B3	Lifespan Tc	Technology
LEDriving SL \triangleq PS19W	42.5 mm	15.5 mm	1500 hr	4000 hr	LED ¹⁾

	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Product description	Date of declaration	Primary article identifier	Candidate list substance 1	CAS No. of substance 1
LEDriving SL \triangleq PS19W	09-07-2024	4062172150293 4062172401456	Lead	7439-92-1

Product description	Safe use instruction	Declaration no. in SCIP database
LEDriving SL \triangleq PS19W	The identification of the Candidate List substance is sufficient to allow	11589200-5e74- 464c-a970- 2b1ae6f9e2dc
	safe use of the article.	

 $^{1)}$ Light-emitting diode lamp

Product family datasheet

Download Data

 File

 To
 Brochures

 LEDriving Retrofits - Exchange overview (EN)

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.