

LEDDriving ADAPTER (OFFROAD) 64210DA01

Accessories for LED retrofit lamps



Making LED upgrades fit right in

The mounting brackets offer an easy installation and compatibility for a variety of cars. Guarantees a perfect fit due to optimal fastening of the H7 lamp.



Product datasheet

Technical data

Product information

| | |
|---|-------------------------------|
| Application (Category and Product specific) | Accessories for LED retrofits |
|---|-------------------------------|

General Product Information

| | |
|------------------------|-----------|
| Global order reference | 64210DA01 |
|------------------------|-----------|

Physical Attributes & Dimensions

| | |
|----------------|---------|
| Diameter | 22.4 mm |
| Product weight | 2.50 g |
| Length | 41.9 mm |

Lifetime Data

| | |
|-----------|---------|
| Guarantee | 3 years |
|-----------|---------|

Capabilities

| | |
|------------|-----------------|
| Technology | LED accessories |
|------------|-----------------|

Environmental & Regulatory Information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) | |
|---|--|
| Date of declaration | 26-06-2024 |
| Candidate list substance 1 | Lead |
| CAS No. of substance 1 | 7439-92-1 |
| Safe use instruction | The identification of the Candidate List substance is sufficient to allow safe use of the article. |
| Declaration no. in SCIP database | dab4e9ba-93b9-49a4-b98e-2009a53a5a87 |

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|--------------------------------|------------------------------|--------------------------------------|----------------------|--------------|
| 4062172160391 | LEDriving Adapter 64210DA01 | | - x - x - | 6.06 dm ³ | |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM