OSRAM

LEDinspect SLIM MAX1000

Inspectionlights





Dimmer Switch
Individually adjustable
brightness levels with up to
1000 lm



1000 Lumen
Bright, white LED light and uniform light distribution



Multi-Angle Light Output
High flexibility due to
individual adjustment of the
light beam



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

Product family datasheet



Light is versatile

This high-quality inspection light is perfect for professional and private use. With an integrated dimmer, you can select the appropriate brightness level with up to 1000lm for the task at hand with the SLIM MAX 1000. The ultra slim design combined with multi-angle positioning gives maximum flexibility and adjustability to give light exactly where needed. The SLIM MAX 1000 is rechargeable and cordless with Li-ion battery and can therefore provide constant light output. The lamp has an operating time of up to 1.5h with high light output or up to 10,5h with low light output. Charging cable and mains adaptor are included in the scope of supply. In accordance with the IP protection class IP65, this inspection light has protection against the ingress of dust and water and is tested for impact resistance in accordance with IK06. This inspection light has an integrated hook and magnets for hands-free work, making it ideal as a light for manual tasks, car repairs and for everyday use. In addition, OSRAM grants a 2-year quarantee on this product*

Product family datasheet

Technical data

	Product information	t information General Product		Electrical Data		
Product description	Application (Category and Product specific)	Global order reference	Nominal wat	tage	Nominal voltage	
INSPECTION LAMP	LED inspection lights	LEDIL410	9 W		3.7 V	
	Photometric Data			Physic Dimen	al Attributes & sions	
Product description	Color temperature	Nominal lumi flux	inous Light color LED	Produc	Product weight	
INSPECTION LAMP	6000 K	1000 lm White		340.00 g		
Dradust description	Lanath	Width	Uniche		LED module information	
Product description	Length	wiath	Height		Number of LEDs per module	
INSPECTION LAMP	365.0 mm	50.0 mm	50.0 mm		2	
	Colors & materials	Lifetime Data	Additional product data			
Product description	Base color	Guarantee	Type of Battery	Number of included batteries		
INSPECTION LAMP	Black / Orange	2 years	Rechargeable	1		
		Capabilities Certificat standards		Logistical data		
Product description	Scope of battery	Technology	IK Class	Watt h	our per battery	
INSPECTION LAMP	Yes	LED	IK06	9.49		
	Environmental & Regu Information according		ion egulation (EC) 1907/200	6 (REACh)	1	
Product description	Date of declaration	Candidate list substance 1	t CAS No. of su 1	ubstance	Safe use instruction	
INSPECTION LAMP	19-08-2024	Lead	7439-92-1		The identification of the Candidate List substance is sufficient to allow safe use of the article.	
Product description	Declaration no. in SCIP database					
INSPECTION LAMP	99d5749d-0f33-4ebf-					

9ff7-b17da405d236

Product family datasheet

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.