# **OSRAM**

# LEDinspect SLIM MAX1000

## Inspectionlights





Dimmer Switch
Individually adjustable
brightness levels with up to
1000 lm



1000 Lumen
Bright, white LED light and uniform light distribution



Multi-Angle Light Output
High flexibility due to
individual adjustment of the
light beam



### 2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

### Product family datasheet



#### Light is versatile

This high-quality inspection light is perfect for professional and private use. With an integrated dimmer, you can select the appropriate brightness level with up to 1000lm for the task at hand with the SLIM MAX 1000. The ultra slim design combined with multi-angle positioning gives maximum flexibility and adjustability to give light exactly where needed. The SLIM MAX 1000 is rechargeable and cordless with Li-ion battery and can therefore provide constant light output. The lamp has an operating time of up to 1.5h with high light output or up to 10,5h with low light output. Charging cable and mains adaptor are included in the scope of supply. In accordance with the IP protection class IP65, this inspection light has protection against the ingress of dust and water and is tested for impact resistance in accordance with IK06. This inspection light has an integrated hook and magnets for hands-free work, making it ideal as a light for manual tasks, car repairs and for everyday use. In addition, OSRAM grants a 2-year quarantee on this product\*

# Product family datasheet

### Technical data

	Product information  Application (Category and Product specific)		General Product Information Global order reference		Electrical Data  Nominal voltage Nominal wat			
Product description							Nominal wattage	
INSPECTION LAMP	LED inspection lights		LEDIL410		3.7 V		9 W	
	Photometric Data				Physica Dimens		al Attributes & sions	
Product description		Nomina flux	l luminous	Color to	emperature	Height		
INSPECTION LAMP	White	1000 lm	1	6000 K		50.0 mi	m	
							LED module information	
Product description	Width		Length		Product weigh	t	Number of LEDs per module	
INSPECTION LAMP	50.0 mm		365.0 mm		340.00 g		2	
	Colors & materials		Lifetime Data	Additional product data				
Product description	Base color		Guarantee			Number of included batteries		
INSPECTION LAMP	Black / Orange		2 years	Yes		1		
			Capabilities	Certificates & standards		Logistical data		
Product description	Type of Battery		Technology	IK Class		Watt hour per battery		
INSPECTION LAMP	Rechargeable		LED	IK06		9.49		
	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)							
Product description	Candidate list substance 1		CAS No. of su	bstance	Safe use instru	ction	Declaration no. in SCIP database	
INSPECTION LAMP	Lead		7439-92-1		The identificat the Candidate substance is sufficient to al safe use of the article.	List	99d5749d-0f33-4ebf- 9ff7-b17da405d236	

## Product family datasheet

### Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.\*for precise conditions please refer to:

www.osram.com/am-guarantee

### **Application advice**

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.