Данные о продуктовой линейке

OSRAM

BATTERYstart 360

Jump starter



≤ 6L Petrol & ≤ 3L Diesel

To jump start 12V vehicles with up to 6L petrol and up to 3L diesel engines



Fast start function

Jump-start your vehicle in approximately 60 seconds



USB-Powerbank

To charge electronic devices including smart phones and tablets



PD30W Rapid Technology

Fast Charging & Fast Recharging



Fast Charge 13000mAh Lithium Starter

Jump-start your vehicle in approximately 60 seconds and recharge the device and other mobile devices in no time thanks to the quick-charge function. The BATTERYstart 360 is designed to jump-start 12V vehicles with up to 6L petrol and up to 3L diesel engines. It has a powerful 13000mAh lithium battery with fast charging function. In addition, the device has safety clamps a reverse polarity, short circuit and overvoltage protection. Weighing only 840g, the device is easy to handle and operate. The compact size fits well in a glove compartment and the included storage bag serves to protect the device and for practical storage. A torch is also integrated, which can be used to illuminate the engine compartment in poor lighting conditions or at night.

Данные о продуктовой линейке

Technical data

	Информация о про	Информация о продукте			
Описание продукта	Эффективность	Объем бензинового двигателя (до)	Объем дизельного двигателя (до)	Разъем питания 12 В	
BATTERY start 360 ¹⁾	High	6	3	n/a	
	Электрические параметры		Physical Attributes & Dimensions		
Описание продукта	Пусковой ток	Пиковый Ток	Длина	Ширина	
BATTERY start 360 ¹⁾	300	1500	171.0	88.0	
		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)			
Описание продукта	Высота	Date of Declaration	Declaration No. in SCIP database		
BATTERY start 360 ¹⁾	33.0	16-08-2024	In work		

¹⁾ Up to 6L Petrol 3L Diesel

Данные о продуктовой линейке

Загрузка данных

Файл



User instruction BATTERYstart

Соответствие стандартам

Рекомендации по установке:

Подробное описание, инструкции и чертежи приведены в спецификации продукта.

Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.